Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11606	((713/161) or (713/165) or (713/171) or (713/187) or (380/201) or (380/37) or (380/228-229) or (726/2-5) or (726/2-4) or (726/26) or (726/27) or (726/30) or (726/31) or (726/32) or (726/35) or (709/203) or (709/223) or (709/225) or (709/229) or (705/56-58) or (705/75-76)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:19
L2	22965	(generat\$4 determin\$6) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:36
L3	11586	KEY\$1 near3 (decrypt\$4 decipher\$8 encrypt\$8 cipher\$8)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:34
L4	1558	I1 and I2 and I3	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:33
L5	980	l4 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:36
L6	400309	(size\$5 quanit\$3 amount\$3 number\$1 portion\$1) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:30
L7	294595	(date\$1 time\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:46
L8	4532	l6 with l7 with (database\$1 table\$1 list\$3 storage\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:31
L9	36	I5 and I8	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:26
L10	285359	(size\$5 quanit\$3 amount\$3 portion\$1) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:45
L11	19018	l10 with (database\$1 table\$1 list\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:32
L12	94660	(date\$1 updat\$3 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:32

				,		
L13	17187	l12 with (database\$1 table\$1 list\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:47
L14	3500	l11 and l13	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:32
L15	1962	l14 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:32
L16	132	I15 and I2 and I3	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:33
L17	126	I16 and ((h/w device\$1 component\$1 peripheral\$1 computer\$1 node\$1) near3 (key\$1 id identif\$9))	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:37
L18	124	l17 and ((user\$6 client\$1 person\$4) near3 (key\$1 id identif\$9))	USPAT; IBM_TDB	OR	OFF	2006/09/13 12:37
L19	73	l17 and ((user\$6 client\$1 person\$4) near3 (id identif\$9))	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:37
L20	232679	(size\$5 portion\$1 amount\$1) near3 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:20
L21	10298	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near3 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:34
L22	14420	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near5 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:56
L23	339725	(size\$5 portion\$1 amount\$1) near5 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:35
L24	4816	I22 and I23	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:35
L25	33329	(generat\$4 determin\$6 new) near3 key\$1	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:36
L26	717	I24 and I25	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:36
L27	544	126 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:49
L28	407	I27 and ((h/w device\$1 component\$1 peripheral\$1 computer\$1 node\$1) near3 (key\$1 id identif\$9))	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:44

					-	
L29	248	l28 and ((user\$6 client\$1 person\$4) near3 (id identif\$9))	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:37
L30	144	129 and 13	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:37
L31	92	l30 not l19	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:50
L32	198857	(size\$5 quanit\$3 amount\$3) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:57
L33	36174	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:35
L34	76634	(size\$5 quanit\$3 amount\$3) near4 (database\$1 table\$1 list\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:47
L35	10114	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near4 (database\$1 table\$1 list\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:06
L36	1993	134 and 135	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:47
L37	223037	(database\$1 table\$1 list\$3) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:48
L38	1819	136 and 137	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:49
L39	273	138 and 12	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:49
L40	220	l39 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:06
L41	111	I40 and I3	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:50
L42	92	l41 not l19	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:23
L43	19455	l32 near7 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:03
L44	3938	I33 near7 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:56
L45	82603	(size\$5) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 13:59
L46	18	12 near6 145	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:00

L47	128872	(size\$5 length\$1) near3 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:06
L48	79	12 near9 147	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:00
L49	56	12 near9 133	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:01
L50	1	148 and 149	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:01
L51	12419	l47 near7 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:03
L52	1320	133 and 151	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:18
L53	3077	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3) size\$5 length\$1 database\$1 table\$1 list\$3) with I2	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:19
L54	197	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near6 l2	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:36
L55	804	(size\$5 length\$1) near8 l2	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:06
L56	26	154 and 155	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:06
L57	20	I56 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:09
L58	166	I52 and I2	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:09
L59	134	I58 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:21
L60	45	I59 and I3	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:09
L61	277	l44 and I51	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:18
L62	29	l61 and l2	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:18
L63	29	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) and I62	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:19
L64	244127	(size\$5 portion\$1 string byte\$1 bite\$ amount\$1) near3 (retriev\$6 obtain\$3 get\$3 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:36
L65	4273	122 and 164	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:21

			T			
L66	456	165 and 12	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:21
L67	356	l66 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:43
L68	337	167 not 157	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:44
L69	176	168 and 13	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:22
L70	146	169 not 119	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:44
L76	9991	(decrypt\$4 decipher\$8) near5 (copyright\$3 copy\$3 electronic\$3 content\$1 data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:35
L77	692	(decrypt\$4 decipher\$8) near5 (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:35
L78	301833	(size\$5 portion\$1 string byte\$1 bite\$ amount\$1) near5 (stor\$4 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:40
L79	20221	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near5 (stor\$4 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:41
L81	79	177 and 178 and 179	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:39
L82	919	12 and 178 and 179	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:39
L83	38053	(size\$5 portion\$1 string byte\$1 bite\$ amount\$1) near5 (key\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:40
L84	2732	(date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near5 key\$1	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:41
L85	1004	183 and 184	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:41
L86	568	l85 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:41
L87	352975	(size\$5 portion\$1 string byte\$1 bite\$ amount\$1 parameter\$1 date\$1 time/date date/time\$1 timestamp\$3 datestamp\$3 (time near2 stamp\$3)) near5 (stor\$4 database\$1 table\$1)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:42
L88	442	186 and 187	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:42
L89	285	188 and 12	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:42

L90	285	I89 and (copyright\$3 copy\$3)	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:43
L91	218	190 and 13	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:43
L92	181	I91 and ((h/w device\$1 component\$1 peripheral\$1 computer\$1 node\$1) near3 (key\$1 id identif\$9))	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:44
L93	162	192 not 157	USPAT; IBM_TDB	OR	OFF	2006/09/13 14:44